



Flamingo Crop Milk

DESCRIPTION

This product is formulated for hand-rearing flamingos during the first days of life. It is a highly concentrated and digestible formula rich in Canthaxanthin and Beta-carotene. It is formulated to constitute 100 % of the chick's diet during that period.

FEEDING RECOMMENDATIONS

On day one, the concentration should be increased from approximately 1 % in the first feeding bout to 20 % in the last one.

From day 3, use a concentration of 25 % (25 % powder formula + 75 % water).

Confirm that the crop is empty in the morning.

Leftover formula must be discarded after each feeding bout.

After opening, store in an air-tight container in a cool, dry place.

While refrigeration is not advised, freezing is possible if it is kept hermetically sealed

PREPARATION

Prepare with lukewarm (37-39 °C) water at a concentration of 25 %. The final texture should be similar to a shaken yogurt.

DAILY INTAKE

Feed between 7 to 10 ml of reconstituted formula per 100 g of body weight and feeding bout. The number of feeding bouts per day will depend on the age of the chick and the crop emptying rate.

NUTRITIONAL INFORMATION

COMPOSITION: Oil seeds, oil fruits and products derived thereof, vegetable oil (palm, crude; sunflower, high oleic; linseed; coconut), dried whole egg, minerals and products derived thereof, inulin (*Cichorium intybus* 0.5 g/kg), Marigold extract (*Tagetes erecta* 0.1 g/kg).

ADDITIVES: Vitamins: 3a672a Vitamin A: 6,000 UI/kg; 3a671 Vitamin D3: 1,200 UI/kg; 3a700 Vitamin E: 300 mg/kg; 3a300 Vitamin C: 200 mg/kg; 3a710 Vitamin K3: 5.0 mg/kg; 3a820 Vitamin B1: 25 mg/kg; Vitamin B2 (riboflavin): 20 mg/kg; 3a831 Vitamin B6 (pyridoxine hydrochloride): 25 mg/kg; Vitamin B12 (cyanocobalamin): 100 μg/kg; 3a841 Calcium D-pantothenate: 20 mg/kg; 3a314 Niacin: 125 mg/kg; 3a316 Folic acid: 5.0 mg/kg; 3a880 Biotin: 800 μg/kg; 3a890 Choline chloride: 1,400 mg/kg; 3a920 Betaine anhydrous: 250 mg/kg. Trace elements: 3b106 Iron (iron (II) chelate of amino acids hydrate): 74 mg/kg; 3b406 Copper (copper (II) chelate of amino acids hydrate): 1 mg/kg; 3b504 Manganese (manganese chelate of amino acids hydrate): 56 mg/kg; 3b606 Zinc (zinc chelate of amino acids hydrate): 38 mg/kg; 3b202 Iodine (calcium iodate anhydrous): 0.8 mg/kg; 3b814 Selenium (hydroxy-analogue of selenomethionine): 270 μg/kg. Antioxidants: 1b306 (ii) Extract of vegetable oils rich in tocopherols (rich in delta-tocopherol): 250 mg/kg; 1b304 Ascorbyl palmitate: 56 mg/kg. Anticaking agents: E-562 Sepiolite: 5.3 g/kg. Colorants: 2a161g Canthaxanthin: 50 mg/kg.

ANALYTICAL CONSTITUENTS: Moisture 6.0 %, Crude protein 39.0 %, Crude fat 45.0 %, Crude fibre 2.5 %, Crude ash 7.2 %.

PACKAGING

500 g bag.

