



General Recovery

DESCRIPTION

General Recovery is formulated to be used as a support food for sick and injured birds in recovery process. It is a complete food designed to be a source of easily assimilated nutrients. Due to its high content of sugars, it should not be used for birds with crop candidiasis.

FEEDING RECOMMENDATIONS

Administer directly into the crop by a soft feeding tube or a stainless steel feeding needle. The formula must be freshly prepared for each feeding session and any leftover formula should be discarded.

PREPARATION

To prepare the formula, pour it into warm water and mix it using a stainless steel whisk. Concentration of solids should be approximately 25 %. Water should have a temperature close to 39 °C. Avoid using a microwave oven.

NUTRITIONAL INFORMATION

COMPOSITION:

Oil seeds, oil fruits and products derived thereof, fructose, vegetable oils (high oleic sunflower, refined linseed), dried whole egg, minerals and products derived thereof, inulin (*Cichorium intybus*).

ADDITIVES:

Vitamins: 3a672a Vitamin A: 5,000 IU/kg; 3a671 Vitamin D3: 1,500 IU/kg; 3a700 Vitamin E: 500 mg/kg; 3a300 Vitamin C: 300 mg/kg; 3a710 Vitamin K3: 5 mg/kg; 3a820 Vitamin B1: 40 mg/kg; 3a825i Vitamin B2: 30 mg/kg; 3a831 Vitamin B6/Pyridoxine hydrochloride: 35 mg/kg; Vitamin B12/Cyanocobalamin: 120 µg/kg; 3a841 Calcium D-pantothenate: 30 mg/kg; 3a314 Niacin: 130 mg/kg; 3a316 Folic acid: 7 mg/kg; 3a880 Biotin: 1,100 µg/kg; 3a890 Choline chloride: 1,800 mg/kg; 3a16 (a) Beta-carotene: 27 mg/kg; 3a920 Betaine anhydrous: 250 mg/kg. **Trace elements:** 3b106 Iron (iron (II) chelate of amino acids hydrate): 30 mg/kg; 3b406 Copper (copper (II) chelate of amino acids hydrate): 1 mg/kg; 3b504 Manganese (manganese chelate of amino acids hydrate): 70 mg/kg; 3b606 Zinc (zinc chelate of amino acids hydrate): 25 mg/kg; 3b202 lodine (calcium iodate anhydrous): 1 mg/kg; 3b814 Selenium (hydroxy-analogue of selenomethionine): 340 µg/kg. **Antioxidants:** 1b306 (ii) Extract of vegetable oils rich in tocopherols (rich in delta-tocopherol): 200 mg/kg; 1b304 Ascorbyl palmitate: 45 mg/kg. **Flavourings**.

ANALYTICAL CONSTITUENTS:

Moisture 6.0 %, Crude Protein 35.0 %, Crude Fat 19.0 %, Crude Fibre 0.2 %, Crude Ash 5.9 %

PACKAGING 100 g and 700 g jars.



100 g



